



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS
100% MADE IN GERMANY



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



CHROME STEEL FINISHING TROWEL EXTRA LIGHT – EXTRA STRONG AND DURABLE



Secure handle mounting thanks to a M8 nut.



Pre-bent blade with chamfered edges, the trowel has been perfected for an even better finish. Ideal for concrete, plaster, drywall, stucco and pool coatings.



Alternatively with ergonomic **BiKoGRIP® SOFT**.

- Pre-bent blade with chamfered edges, the trowel has been perfected for an even better finish. Ideal for concrete, plaster, drywall, stucco and pool coatings.
- **BiKoGRIP®** in CORK or SOFT. A perfectly designed Ergonomic handle – designed for comfort and performance.
- Ultra-lightweight aluminum mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- Blade made from hardened, stainless chrome steel: for more flexibility and durability.

CHROME STEEL FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
11 x 4.75 inch	280 x 120 mm	1040 2812BK/BS
12 x 4.75 inch	305 x 120 mm	1040 3012BK/BS
12.6 x 4.75 inch	320 x 120 mm	1040 3212BK/BS
13 x 4.75 inch	330 x 120 mm	1040 3312BK/BS
14 x 4.75 inch	355 x 120 mm	1040 3512BK/BS
14.8 x 4.75 inch	375 x 120 mm	1040 3712BK/BS
16 x 4.75 inch	405 x 120 mm	1040 4012BK/BS



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



Ergonomic **BiKoGRIP® CORK**

Top quality mounting

High quality blades made from stainless spring steel

Alternatively with **BiKoGRIP® SOFT**

Die-cast aluminium mounting made of a special alloy

Thickness of the blade 0,3 mm

Blade edges finely finished

NELAFLEX® FINISHING TROWEL EXTRA LIGHT – SUPER FLEXIBILITY



Secure handle mounting thanks to a M8 nut.



High-strength bond between both blades thanks to a special tape adhesive withstands both solvents and extreme temperatures.



Alternatively with ergonomic **BiKoGRIP® SOFT**.

- Perfect for burr-free fillings thanks to slightly rounded corners and versatile double-blade technology.
- **BiKoGRIP®** in CORK or Soft. A perfectly designed Ergonomic handle – designed for comfort and performance.
- The grip is attached with a special bolt made of a high-quality stainless material.
- High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures.

NELAFLEX® FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3 inch	200 x 80 mm	1085 2008BK/BS
11 x 4.3 inch	280 x 110 mm	1085 2811BK/BS
12 x 4.3 inch	305 x 110 mm	1085 3011BK/BS
13 x 4.3 inch	330 x 110 mm	1085 3311BK/BS
14 x 4.3 inch	355 x 110 mm	1085 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1085 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1085 4511BK/BS

Thickness of the blade 0,3 mm



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



NELAFLEX® II GOLD FINISHING TROWEL EXTRA LIGHT – SUPER FLEXIBILITY



Secure handle mounting thanks to a M8 nut.



Perfect for burr-free fillings thanks to slightly rounded corners and versatile double-blade technology.



High resistance foil secures best protection for the connection between blade and mounting.

- Perfect for burr-free fillings thanks to slightly rounded corners and versatile double-blade technology.
- **BiKoGRIP®** in CORK or SOFT. A perfectly designed Ergonomic handle - designed for comfort and performance.
- Ultra-lightweight aluminium mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures.
- High resistance foil secures best protection for the connection between blade and mounting.

NELAFLEX® II GOLD FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3 inch	200 x 80 mm	1088 2008BK/BS
11,8 x 4.3 inch	300 x 110 mm	1088 3011BK/BS
14 x 4.3 inch	355 x 110 mm	1088 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1088 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1088 4511BK/BS

Thickness of the blade 0,3 mm



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



MEDIFLEX FINISHING TROWEL EXTRA LIGHT – MEDIUM FLEXIBILITY



Secure handle mounting thanks to a M8 nut.



High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures. Alternatively with sharp corners. (BKS)



Alternatively with ergonomic **BiKoGRIP® SOFT**.

- Perfect for burr-free fillings thanks to slightly rounded corners and versatile double-blade technology.
- **BiKoGRIP®** in CORK or SOFT. A perfectly designed Ergonomic handle - designed for comfort and performance.
- Ultra-lightweight aluminium mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures.

MEDIFLEX FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3.5 inch	200 x 90 mm	1089 2012BK/BS/BKS
11 x 4.9 inch	280 x 125 mm	1089 2812BK/BS/BKS
13 x 4.9 inch	330 x 125 mm	1089 3312BK/BS/BKS
14 x 4.9 inch	355 x 125 mm	1089 3512BK/BS/BKS
16 x 4.9 inch	405 x 125 mm	1089 4012BK/BS/BKS
18 x 4.9 inch	455 x 125 mm	1089 4512BK/BS/BKS

Thickness of the blade 0,4 mm



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



PLASTICFLEX FINISHING TROWEL

EXTRA LIGHT – EXTRA FLEXIBILITY



Secure handle mounting thanks to a M8 nut.



Pre-worn chamfered edges.



Alternatively with ergonomic **BiKoGRIP® SOFT**.

- **BiKoGRIP® CORK**. Ergonomically perfect handle design.
- Ultra-lightweight aluminium mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures.
- Blade made of special high impact resistant plastic.

PLASTICFLEX FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3 inch	200 x 80 mm	1081 2008BK/BS
11 x 4.3 inch	280 x 110 mm	1081 2811BK/BS
12 x 4.3 inch	305 x 110 mm	1081 3011BK/BS
13 x 4.3 inch	330 x 110 mm	1081 3311BK/BS
14 x 4.3 inch	355 x 110 mm	1081 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1081 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1081 4511BK/BS

Thickness of the blade 1 mm




MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



CARBON STEEL FINISHING TROWEL EXTRA LIGHT – EXTRA STRONG AND DURABLE



Secure handle mounting thanks to a M8 nut.



Beveled edges for optimum finishing of all common materials.



Alternatively with ergonomic **BiKoGRIP® SOFT**.

- **BiKoGRIP®** in CORK or SOFT. A perfectly designed Ergonomic handle - designed for comfort and performance.
- Ultra-lightweight aluminium mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- Highest grade hardened and tempered spring steel blade, white polished and pre-bent.
- Beveled edges for optimum finishing of all common materials.

CARBON STEEL FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3 inch	200 x 80 mm	1340 2008BK
11 x 4.75 inch	280 x 120 mm	1340 2812BK
12 x 4.75 inch	305 x 120 mm	1340 3012BK
13 x 4.75 inch	330 x 120 mm	1340 3312BK
14 x 4.75 inch	355 x 120 mm	1340 3512BK
16 x 4.75 inch	405 x 120 mm	1340 4012BK
18 x 4.75 inch	455 x 120 mm	1340 4512BK
20 x 4.75 inch	508 x 120 mm	1340 5112BK
22 x 4.75 inch	559 x 120 mm	1340 5612BK
24 x 4.75 inch	610 x 120 mm	1340 6112BK

Thickness of the blade **0,67 mm**

BK = **BiKoGRIP®** CORK · BKS = **BiKoGRIP®** CORK sharp corners · BKR = **BiKoGRIP®** CORK rounded corners · BS = **BiKoGRIP®** SOFT



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



NELAMAX FINISHING TROWEL THE EXCHANGEABLE ONE



Removal



Bend blade at the beginning of the mounting



Slide mounting forward while bending the blade downward at the beginning of the mounting



Take hold of the blade and slide it off completely

Placing



Place mounting in position



Bend blade at the beginning of the mounting



Take hold of the blade and slide into your preferred position

NELAMAX CARRIER TROWEL

Length x Width	Dimensions mm	Art.-No.
10.6 x 5.4 inch	270 x 49 mm	1510 2705BK
16 x 5.4 inch	405 x 49 mm	1510 4005BK

SET OF 2 NELAMAX FLEXIBLE PLASTIC BLADE

Length x Width	Dimensions mm	Art.-No.
11 x 5.4 inch	280 x 138 mm	1520 2814
12 x 5.4 inch	305 x 138 mm	1520 3014
13 x 5.4 inch	330 x 138 mm	1520 3314
14 x 5.4 inch	355 x 138 mm	1520 3514
16 x 5.4 inch	405 x 138 mm	1520 4014
18 x 5.4 inch	455 x 138 mm	1520 4514
20 x 5.4 inch	508 x 138 mm	1520 5114
22 x 5.4 inch	559 x 138 mm	1520 5614
24 x 5.4 inch	610 x 138 mm	1520 6114

NELAMAX FLEXIBLE PLASTIC BLADE, SET OF NELAMAX CARRIER TROWEL AND 1 BLADE

Length x Width	Dimensions mm	Art.-No.
12 x 5.4 inch	305 x 138 mm	1522 3014BK
14 x 5.4 inch	355 x 138 mm	1522 3514BK
16 x 5.4 inch	405 x 138 mm	1522 4014BK
18 x 5.4 inch	455 x 138 mm	1522 4514BK

BK = BiKoGRIP® CORK · BKS = BiKoGRIP® CORK sharp corners · BKR = BiKoGRIP® CORK rounded corners · BS = BiKoGRIP® SOFT

Discover the dark side...



NELA[®]
BLACK EDITION



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



Ergonomic **BiKoGRIP®** Cork

Attached with special bolts made of a high-quality stainless material

High quality blades made of hardened stainless spring steel

Alternatively with **BiKoGRIP®** SOFT

Ultra-lightweight aluminium mounting made of a robust special alloy

Blade finely burred all round.

BLACK EDITION FINISHING TROWEL EXTRA LIGHT – MEDIUM FLEXIBILITY



Thicker steel to improve durability and provide a longer working life.



Blade finely burred all round.

- **BiKoGRIP®** in CORK. A Ergonomic handle designed perfectly for comfort and performance.
- Rounded edges and versatile double-blade technology is perfect for burr-free fillings.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Our blades are bonded together by a high-strength tape that withstands both solvents and extreme temperatures.

BLACK EDITION FINISHING TROWEL

Length x Width	Dimensions mm	Art.-No.
8 x 3.5 inch	200 x 90 mm	1083 2009BK/BS
11 x 4.72 inch	280 x 120 mm	1083 2812BK/BS
13 x 4.72 inch	330 x 120 mm	1083 3312BK/BS
14 x 4.72 inch	355 x 120 mm	1083 3512BK/BS
16 x 4.72 inch	405 x 120 mm	1083 4012BK/BS
18 x 4.72 inch	455 x 120 mm	1083 4512BK/BS

Thickness **0,40 mm**



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

A unique design perfectly moulded to your grip.



A flexible stainless steel blade


Unique flexible stainless steel blade level

NELA EDGE Finishing Spatula with interchangeable Blade


0,30 mm golden stainless spring steel blade with rounded corners

BLACK EDITION NELA EDGE FINISHING SPATULA

EXTRA DURABLE – EXTRA FLEXIBILITY



Nelas finishing spatula is a new and dynamic tool developed to advance and intensify the overall Plastering process.



Golden stainless spring steel blade

- A flexible stainless steel blade allows leveling of surfaces immediately after plaster application; therefore increasing the speed of the whole plastering process.
- Unique flexible stainless steel blade levels and 'rules off' in a small percentage of the time compared to traditional methods.
- A unique design perfectly moulded to your grip. This ergonomic design and lightweight construction increases comfort and reduces the need for the trowel during certain aspects of the plastering process.
- A unique flexible stainless steel blade covers a larger surface speeding up the flattening process, allowing quicker deployment of trowel increasing the speed of the overall process.

BLACK EDITION NELA EDGE FINISHING SPATULA

Length x Width	Dimensions mm	Art.-No.
6 inch	152 mm	5090015
10 inch	254 mm	5090025
16 inch	406 mm	5090040
20 inch	508 mm	5090050
24 inch	610 mm	5090060
31.5 inch	800 mm	5090080
39.5 inch	1000 mm	5090100
47.2 inch	1200 mm	5090120

Thickness of the blade 0,3 mm



VENETIAN TROWELS

EXTRA LIGHT – EXTRA STRONG AND DURABLE



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

VENETIAN PLASTIC TROWEL

EXTRA LIGHT – EXTRA STRONG AND DURABLE



- **BiKoGRIP®** in CORK and SOFT
- Blade made from white PVC. Thickness of the blade 1,0 mm
- Trapezoidal shape, rounded corners, edges finely grinded

VENETIAN PLASTIC TROWEL

Length x Width	Dimensions mm	Art.-No.
9.4 x 3.9/3.5 inch	240 x 100/90 mm	1889 2410BK/BS

VENETIAN TROWEL SUPREME

EXTRA LIGHT – EXTRA STRONG AND DURABLE



- Ideal for polishing of marmorino and Venetian Plaster.
- **BiKoGRIP®** in CORK or SOFT. A perfectly designed Ergonomic handle - designed for comfort and performance.
- Ultra-lightweight aluminium mounting made of a robust special alloy: for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- Secure handle mounting thanks to a M8 nut.
- Blade made of hardened, stainless chrome steel for more flexibility and durability.
- Edges especially rounded and micro polished.

VENETIAN TROWEL SUPREME

Length x Width	Dimensions mm	Art.-No.
8 x 3/2.75 inch	200 x 80/70 mm	1028 2008BK
9.5 x 4.3/3.5 inch	240 x 110/90 mm	1028 2411BK
11 x 4.75/3.9 inch	280 x 120/100 mm	1028 2812BK



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

VENETIAN TROWEL SUPREME EXTRA LIGHT – EXTRA STRONG AND DURABLE



- **BiKoGRIP®** CORK small. Also available with **BiKoGRIP®** SOFT
- Ultra-lightweight aluminium mounting made of a robust special alloy for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- Secure handle mounting thanks to a M8 nut.
- Blade made of hardened, stainless chrome steel for more flexibility and durability.
- Edges especially rounded and micro polished.
- Ideal for polishing of marmorino and Venetian Plaster.

Trapezoidal shape

Length x Width	Dimensions mm	Art.-No.
9.4/5.3 x 3.9 inch	240/135 x 100 mm	1029 2413BK
10.8/5.7 x 4.75 inch	275/145 x 120 mm	1029 2714BK
14/7.8 x 4.75 inch	355/200 x 120 mm	1029 3520BK



Oval shape (ellipse)

Length x Width	Dimensions mm	Art.-No.
9 x 4 inch	230 x 102 mm	1015 2310BK



Trapezoidal shape round front

Length x Width	Dimensions mm	Art.-No.
9.4 x 3.7/2 inch	240 x 95/50 mm	1016 2495BK
7.9 x 2 inch	200 x 50 mm	1017 2005BK



Trapezoidal shape front pointed

Length x Width	Dimensions mm	Art.-No.
8.3 x 2.4/2 inch	210 x 60/53 mm	1018 2106BK



Trapezoidal shape, small trowel

Length x Width	Dimensions mm	Art.-No.
5.5 x 3/2.2 inch	140 x 77/55 mm	1019 1477BK



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

VENETIAN FINISHING TROWEL SUPREME FLEX GOLD

EXTRA LIGHT – EXTRA STRONG AND DURABLE



- **BiKoGRIP®** CORK small
- Ultra-lightweight aluminium mounting made of a robust special alloy for ultra-high stability and easy handling.
- The grip is attached with a special bolt made of a high-quality stainless material.
- Secure handle mounting thanks to a M8 nut.
- High quality blades made of stainless spring steel.
- Blade edges finely deburred. Thickness of the blade 0,3 mm.
- High-strength bond between both blades thanks to a special adhesive that withstands both solvents and extreme temperatures.
- Edges especially rounded and micro polished

Trapezoidal shape

Length x Width	Dimensions mm	Art.-No.
9.4/5.3 x 3.9 inch	240/135 x 100 mm	1087 2413BK
10.8/5.7 x 4.75 inch	275/145 x 120 mm	1087 2714BK
14/7.8 x 4.75 inch	355/200 x 120 mm	1087 3520BK



Oval shape (ellipse)

Length x Width	Dimensions mm	Art.-No.
9 x 4 inch	230 x 102 mm	1092 2310BK



Trapezoidal shape front round

Length x Width	Dimensions mm	Art.-No.
9.4 x 3.7/2 inch	240 x 95/50 mm	1093 2495BK
7.9 x 2 inch	200 x 50 mm	1094 2005BK



Trapezoidal shape pointed at the front

Length x Width	Dimensions mm	Art.-No.
8.3 x 2.4/2 inch	210 x 60/53 mm	1096 2106BK



Trapezoidal shape, small trowel

Length x Width	Dimensions mm	Art.-No.
5.5 x 3/2.2 inch	140 x 77/55 mm	1097 1477BK



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

POOL TROWEL SHORT BRACKET – FLEXIBLE



• **BiKoGRIP**® CORK

Length x Width	Dimensions mm	Art.-No.
11 x 4 inch	280 x 100 mm	1050 2810BK
12 x 4 inch	305 x 100 mm	1050 3010BK
13 x 4 inch	330 x 100 mm	1050 3310BK
14.5 x 4 inch	355 x 100 mm	1050 3510BK
16 x 4 inch	405 x 100 mm	1050 4010BK
16 x 4.75 inch	405 x 120 mm	1050 4012BK

CEMENT TROWEL LONG BRACKET – STIFF



• **BiKoGRIP**® CORK

Length x Width	Dimensions mm	Art.-No.
11 x 4 inch	280 x 100 mm	1052 2810BK
12 x 4 inch	305 x 100 mm	1052 3010BK
13 x 4 inch	330 x 100 mm	1052 3310BK
14.5 x 4 inch	355 x 100 mm	1052 3510BK
16 x 4 inch	405 x 100 mm	1052 4010BK
16 x 4.75 inch	405 x 120 mm	1052 4012BK

MIDGET TROWEL



• **BiKoGRIP**® CORK

Length x Width	Dimensions mm	Art.-No.
8 x 3 inch	200 x 80 mm	1064 2008BK

PIPE TROWEL



• **BiKoGRIP**® CORK

Length x Width	Dimensions mm	Art.-No.
10.6 x 3 inch	270 x 80 mm	1080 2708BK



MANUFACTURER OF FIRST-CLASS TOOLS · 100 % MADE IN GERMANY

ALUMINIUM HAWK



• **BiKoGRIP**® CORK

Length x Width	Dimensions mm	Art.-No.
8 x 8 inch	200 x 200 mm	4070 20BK
10 x 10 inch	250 x 250 mm	4070 25BK
12 x 12 inch	305 x 305 mm	4070 30BK
13 x 13 inch	330 x 330 mm	4070 33BK
14 x 14 inch	355 x 355 mm	4070 35BK
16 x 16 inch	400 x 400 mm	4070 40BK

SPATULA ROUNDED CORNERS



- Spatula with Aluminium back
- Straight Cork Handle
- Stainless Steel Blade
- Rounded corners

Length x Width	Dimensions mm	Art.-No.
7 inch	170 mm	4056 17BKR
8 inch	200 mm	4056 20BKR
10 inch	250 mm	4056 25BKR
12 inch	300 mm	4056 30BKR
16 inch	400 mm	4056 40BKR
20 inch	500 mm	4056 50BKR
24 inch	600 mm	4056 60BKR
31.5 inch	800 mm	4056 80BKR

Thickness of the blade 0,4 mm

SPATULA



- Spatula with Aluminium back
- Straight Cork Handle
- Stainless Steel Blade

Length x Width	Dimensions mm	Art.-No.
7 inch	170 mm	4056 17BK
8 inch	200 mm	4056 20BK
10 inch	250 mm	4056 25BK
12 inch	300 mm	4056 30BK
16 inch	400 mm	4056 40BK
20 inch	500 mm	4056 50BK
24 inch	600 mm	4056 60BK
31.5 inch	800 mm	4056 80BK

Thickness of the blade 0,4 mm

FELT BRUSH



- Wet and dry brush holds up to 40% more water than a standard Splash Brush as well as dripping less
- The felt pad allows for a more even spread of water
- Can also be used to remove water from newly finished surfaces
- Replacement Pads available (one pair)
Art.-No.3898 0024

Length x Width	Dimensions mm	Art.-No.
9 inch	229 mm	3898 0023



MANUFACTURER OF FIRST-CLASS BRICKLAYING TROWELS

MARGIN TROWEL



- **BiKoGRIP**® CORK
- American type
- Forged from one piece of high quality carbon steel



MARGIN TROWEL

Length x Width	Dimensions mm	Art.-No.
5 x 1.5 inch	127 x 40 mm	2107 5004BK
5 x 2 inch	127 x 50 mm	2107 5005BK
6 x 2 inch	150 x 50 mm	2108 5015BK
8 x 2 inch	200 x 50 mm	2108 5025BK

POINTING TROWEL



- **BiKoGRIP**® CORK
- American type
- Forged from one piece of high quality carbon steel



POINTING TROWEL

Length x Width	Dimensions mm	Art.-No.
4.5 inch	115 mm	2105 5011BK
5 inch	127 mm	2105 5013BK
5.5 inch	140 mm	2105 5014BK
6 inch	150 mm	2105 5015BK
7 inch	180 mm	2105 5018BK



MANUFACTURER OF FIRST-CLASS BRICKLAYING TROWELS

BUCKET TROWEL



- **BiKoGRIP**® CORK
- American type
- Forged from one piece of high quality carbon steel



BUCKET TROWEL

Length x Width	Dimensions mm	Art.-No.
6.3 inch	160 mm	2023 5016BK

MASON'S TROWEL



- **BiKoGRIP**® CORK
- German type
- Swan neck
- Forged from one piece of high quality carbon steel



MASON'S TROWEL

Length x Width	Dimensions mm	Art.-No.
6.3 inch	160 mm	2024 5016BK
7 inch	180 mm	2024 5018BK
7.9 inch	200 mm	2024 5020BK
8.7 inch	220 mm	2024 5022BK



MANUFACTURER OF FIRST-CLASS BRICKLAYING TROWELS

BUCKET TROWEL



- **BiKoGRIP**® CORK
- German type
- Swan neck
- Front corners rounded
- Forged from one piece of high quality carbon steel



BUCKET TROWEL

Length x Width	Dimensions mm	Art.-No.
6.3 inch	160 mm	2025 5016BK
7 inch	180 mm	2025 5018BK
7.9 inch	200 mm	2025 5020BK
8.7 inch	220 mm	2025 5022BK

PHILADELPHIA TROWEL



- **BiKoGRIP**® CORK
- Forged from one piece of high quality carbon steel



PHILADELPHIA TROWEL

Length x Width	Dimensions mm	Art.-No.
10 inch	254 mm	2070 5010BK
11 inch	280 mm	2070 5011BK
12 inch	305 mm	2070 5012BK



MANUFACTURER OF FIRST-CLASS BRICKLAYING TROWELS

WIDE LONDON TROWEL



- **BiKoGRIP**® CORK
- Forged from one piece of high quality carbon steel



WIDE LONDON TROWEL

Length x Width	Dimensions mm	Art.-No.
10 inch	254 mm	2075 5010BK
11 inch	280 mm	2075 5011BK
12 inch	305 mm	2075 5012BK

NARROW LONDON TROWEL



- **BiKoGRIP**® CORK
- American type
- Forged from one piece of high quality carbon steel



NARROW LONDON TROWEL

Length x Width	Dimensions mm	Art.-No.
10 inch	254 mm	2076 5010BK
11 inch	280 mm	2076 5011BK
12 inch	305 mm	2076 5012BK



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY



STAINLESS STEEL PUTTY KNIFE
WITH ANTISLIP COATED HANDLE, CONICALLY FLEXIBEL GRINDED



- Blade and handle made of stainless steel. The one-piece construction ensures stability and longevity. This scraper is available in 8 sizes and is ideal for all painting and drywall applications. The ergonomic handle is comfortable, easy to grip and has an anti-slip paint finish.

STAINLESS STEEL PUTTY KNIFE

Length x Width	Dimensions mm	Art.-No.
1.5 inch	38 mm	3230 040
2 inch	50 mm	3230 050
3 inch	75 mm	3230 080
4 inch	100 mm	3230 100
5 inch	127 mm	3230 130
6 inch	152 mm	3230 150
8 inch	202 mm	3230 200
10 inch	250 mm	3230 250



MANUFACTURER OF FIRST-CLASS FINISHING TROWELS · 100 % MADE IN GERMANY

2 OR 5 YEAR WARRANTY ON WORKMANSHIP
AND MATERIALS WITH NORMAL USE